

## Drinking Water Facilities & Action Taken On Scarcity Of Drinking Water

District : Solapur

Report : Yearly  
Reporting Year : 2010-11

Item	Karmala	Madha	Barshi	Solapur North	Mohol	Pandharpur	Malshiras	Sangole	Mangalvedhe	Solapur South	Akkalkot
Reference Year	2010-11	2010-11	2010-11	2010-11	2010-11	2010-11	2010-11	2010-11	2010-11	2010-11	2010-11
Total No Of Inhabited Villages	118	116	137	40	101	100	117	102	81	91	135
No Of Wadi/Wasti in Villages	370	550	291	73	951	610	901	791	284	175	198
No Of Villages having 12 mnths sufficient water	97	85	121	31	96	100	104	102	80	79	77
No Of Wadi/Wasti under villages having 12 mnths sufficient water	352	301	269	52	917	610	806	771	284	123	137
Of Which No Of Villages having Piped Drinking water supply	97	84	121	22	89	94	104	102	76	41	36
Of Which No Of wadi/wasti having Piped Drinking water supply	352	299	269	37	250	128	788	423	28	64	83
No Of Villages Affected By Water Scarcity (in Reference Year)	21	31	16	9	5	0	13	0	1	12	58
No Of wadi/wasti Affected By Water Scarcity (in Reference Year)	18	249	22	21	34	0	95	20	0	52	61
No Of Villages Affected By Water Scarcity (As per major action plan)	0	0	0	0	0	0	0	0	0	0	0
No Of wadi/wasti Affected By Water Scarcity (As per major action plan)	0	0	0	0	0	0	0	0	0	0	0
Action taken in No of villages provided water supply through tankers	0	0	0	9	0	0	0	0	0	2	2
Action taken in of which no of wadya/vasti	0	0	0	0	0	0	0	20	0	4	1
Action taken in No of tankers Used	0	0	0	11	0	0	0	3	0	2	2
Action taken in No of villages provided water supply through bullock cart	0	0	0	0	0	0	0	0	0	0	0
Of which no of wadya/vasti	0	0	0	0	0	0	0	0	0	0	0
No of bullock cart	0	0	0	0	0	0	0	0	0	0	0
No of villages provided water supply through other than above mention way	0	0	2	1	0	0	0	0	1	6	3
of which no of wadya/vasti	0	0	0	0	0	0	0	0	0	0	0
No Of Equipments	28	0	15	13	20	0	21	28	1	50	14

Source :  
Executive Engeneer, Rural Water Supply Department, Zilla Parishad

Navigation Path :  
www.mahasdb.maharashtra.gov.in > Home > Solapur > Social & Community Services > Reports  
This report should be updated within 2 months after completion of Reporting period  
Data updated on August 8, 2013